SAFETY DATA SHEET

1. Product and company identification

Product name Sport Transmission Fluid

Product code 96925 SDS number 6658

Bel-Ray Company, LLC

GPO Box 2650 Sydney, NSW 1171 PO Box 526 Farmingdale N.J. 07727

1 732-938-2421

CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 **United States of America**

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Recommended use Motorcycle Transmission Oil

2. Hazards identification

GHS classification

Physical hazards Not classified. Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

Hazardous to the aquatic environment,

long-term hazard

Label elements

Symbols None. None. Signal word

Hazard statement Toxic to aquatic life.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Avoid release to the environment.

Category 3

If medical advice is needed, have product container or label at hand. Response

Storage Store away from incompatible materials.

Disposal Dispose of contents/container to

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

CAS Number Chemical property Concentration (%) Distillates (petroleum), solvent-refined heavy paraffinic 64741-88-4 0 - < 100Distillates (petroleum), Solvent-refined Heavy Paraffinic Other components below reportable levels 70 - < 80

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Material name: Sport Transmission Fluid

SDS NEW ZEALAND

Ingestion Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to

an unconscious person.

Potential delayed effects

Irritation of eyes and mucous membranes. Skin irritation.

Personal protection for first-aid responders

Not available.

Not available.

Notes to physician Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

HAZCHEM Code Number

Specific hazards during fire

fighting

During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Protection of fire-fighters Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing

must be worn in case of fire.

Hazards from combustion

products

Carbon monoxide and carbon dioxide.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

Spill cleanup methods

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Precautions Avoid release to the environment.

Safe handling advice Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of

the SDS.

Prevention of fire and

explosion

No specific recommendations.

Local and general ventilation

Provide adequate ventilation.

Storage

Suitable storage conditions

Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the

SDS).

Incompatible materials

For further information, please refer to section 10.

Store in original tightly closed container. Safe packaging materials

Material name: Sport Transmission Fluid SDS NEW ZEALAND

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form	
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)
Components Type Value

Distillates (petroleum), TWA 5 mg/m3 solvent-refined heavy

paraffinic (CAS 64741-88-4)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

ComponentsTypeValueFormDistillates (petroleum),
solvent-refined heavyTWA5 mg/m3Mist.

paraffinic (CAS 64741-88-4)

Biological limit values No biological exposure limits noted for the ingredient(s).

Engineering controlsGood general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other

engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Skin protection Wear suitable protective clothing.

Eye/face protection Wear safety glasses with side shields (or goggles).

Radioactive or thermal

hazards

Follow standard monitoring procedures.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance Oily. Liquid. Physical state Liquid. **Form** Liquid. Colour Red. Odour Petroleum **Odour threshold** Not available. pН Not available. Not available. Melting point/freezing point Boiling point, initial boiling 360 °C (680 °F) point, and boiling range

Flash point 175.0 °C (347.0 °F) Pensky-Martens Closed Cup

Auto-ignition temperature 260 °C (500 °F) estimated

Flammability (solid, gas)

Flammability limit - lower
(%)

Not available.
1 % estimated

Flammability limit - upper

(%)

50 % estimated

Explosive limit - lower (%)

Not available. Not available.

Explosive limit – upper (%)

Not available.

Vapour pressure 0.00001 hPa estimated

Material name: Sport Transmission Fluid

SDS NEW ZEALAND

Density896.00 kg/m3Vapour densityNot available.Evaporation rateNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient (n-octanol/water)

Not available.

(n-octanoi/water)

Decomposition temperatureNot available.Viscosity20 - 21.9 cStViscosity temperature100 °C (212 °F)Percent volatile0.003 % estimated

Other data

Specific gravity 0.9 VOC < 0.1 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Stability Material is stable under normal conditions. **Conditions to avoid** Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

·

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Product Species Test results

Sport Transmission Fluid

Acute Dermal

LD50 Rabbit 2171 mg/kg estimated

Inhalation

LC50 Rat 1660 mg/l estimated

Oral

LD50 Rat 2387 mg/kg estimated

Routes of exposure Inhalation. Skin contact. Eye contact.

Symptoms Irritation of eyes and mucous membranes. Skin irritation.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitiser

Skin sensitiser

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Material name: Sport Transmission Fluid SDS NEW ZEALAND

96925 Version No.: 4.0 Revision date: 24-May-2016 Print date: 24-May-2016

^{*} Estimates for product may be based on additional component data not shown.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated

toxicity - repeated exposure

Aspiration hazard

Not an aspiration hazard.

Chronic effects Not available.

Relevant negative data Not available.

12. Ecological information

Ecotoxicological data

Product		Species	Test results
Sport Transmission	r Fluid		
Aquatic			
Fish	LC50	Fish	155.8704 mg/l, 96 hours estimated

^{*} Estimates for product may be based on additional component data not shown.

Ecotoxicity Toxic to aquatic life.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulation No data available. **Bioconcentration factor (BCF)** Not available.

Mobility This product is miscible in water.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautionsDispose in accordance with all applicable regulations.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)

May be used as a single component chemical under an appropriate group standard

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

Material name: Sport Transmission Fluid SDS NEW ZEALAND

Country(s) or region Inventory name On inventory (yes/no)*

New ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References Not available.

Issued by

Not available.

Prepared by

Not available.

Disclaimer

Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the

user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at

the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

Issue date11-January-2012Revision date24-May-2016

Material name: Sport Transmission Fluid SDS NEW ZEALAND

96925 Version No.: 4.0 Revision date: 24-May-2016 Print date: 24-May-2016

Yes