



# SAFETY DATA SHEET

## 1. Product and company identification

**Product name** Thumper Racing Syn Ester Blend 4T E/O 15W-50  
**Product code** 99530  
**SDS number** 7134

Bel-Ray Company, LLC  
GPO Box 2650 Sydney, NSW 1171  
PO Box 526 Farmingdale N.J. 07727  
1 732-938-2421  
CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC  
P.O. Box 526  
Farmingdale, NJ 07727  
United States of America  
+1 732 938 2421  
CHEMTREC: 800-424-9300 (USA)  
CHEMTREC: +1 703-527-3887 (outside USA - call collect)

## Recommended use and Limitations on use

**Recommended use** Engine oil

## 2. Hazards identification

### GHS classification

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**Environmental hazards** Hazardous to the aquatic environment, acute Category 2 hazard  
Hazardous to the aquatic environment, long-term hazard Category 3

### Label elements

**Symbols** None.  
**Signal word** None.  
**Hazard statement** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

### Precautionary statement

**Prevention** Keep out of reach of children. Read label before use. Avoid release to the environment.  
**Response** If medical advice is needed, have product container or label at hand.  
**Storage** Store away from incompatible materials.  
**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental information** 80.85 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 80.85 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 3. Composition/information on ingredients

**Substance or mixture** Mixture

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	0 - < 100
Distillates (petroleum), Solvent-refined Heavy Paraffinic		
Other components below reportable levels		90 - 100

## 4. First aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Potential delayed effects</b>	Irritation of eyes and mucous membranes. Skin irritation.
<b>Personal protection for first-aid responders</b>	Not available.
<b>Notes to physician</b>	Treat symptomatically.

## 5. Fire-fighting measures

<b>Extinguishing media</b>	Water fog.
<b>Extinguishing media to avoid</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>HAZCHEM Code Number</b>	None.
<b>Specific hazards during fire fighting</b>	During fire, gases hazardous to health may be formed.
<b>Special fire fighting procedures</b>	Not available.
<b>Protection of fire-fighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.
<b>Hazards from combustion products</b>	May include oxides of Nitrogen.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
<b>Environmental precautions</b>	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
<b>Spill cleanup methods</b>	<p>This product is miscible in water. Prevent product from entering drains.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>

## 7. Handling and storage

<b>Handling</b>	
<b>Precautions</b>	Avoid release to the environment.
<b>Safe handling advice</b>	Avoid prolonged exposure. Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.
<b>Prevention of fire and explosion</b>	No specific recommendations.
<b>Local and general ventilation</b>	Provide adequate ventilation.
<b>Storage</b>	
<b>Suitable storage conditions</b>	Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).
<b>Incompatible materials</b>	For further information, please refer to section 10.
<b>Safe packaging materials</b>	Store in original tightly closed container.

## 8. Exposure controls/personal protection

### Exposure limits

#### New Zealand. WES. (Workplace Exposure Standards)

Components	Type	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

#### Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3

#### Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3	Mist.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Personal protective equipment

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

#### Skin protection

Wear suitable protective clothing.

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Radioactive or thermal hazards

Follow standard monitoring procedures.

#### Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

Oily. Liquid.

#### Physical state

Liquid.

#### Form

Liquid.

#### Colour

Amber.

### Odour

Petroleum

### Odour threshold

Not available.

### pH

Not available.

### Melting point/freezing point

Not available.

### Boiling point, initial boiling point, and boiling range

Not available.

### Flash point

207.0 °C (404.6 °F) Pensky-Martens Closed Cup

### Auto-ignition temperature

260 °C (500 °F) estimated

### Flammability (solid, gas)

Not applicable.

### Flammability limit - lower (%)

Not available.

### Flammability limit - upper (%)

Not available.

### Explosive limit - lower (%)

Not available.

### Explosive limit - upper (%)

Not available.

### Vapour pressure

0.00001 hPa estimated

Density	885.00 kg/m3
Vapour density	Not available.
Evaporation rate	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Solubility (other)	Oil
Partition coefficient (n-octanol/water)	Not available.
Decomposition temperature	Not available.
Viscosity	142.9 cSt ASTM D445
Viscosity temperature	40 °C (104 °F)
Percent volatile	0.08 % estimated
Other data	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	0.89
VOC	< 1 %

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

## 11. Toxicological information

### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Product	Species	Test results
Thumper Racing Syn Ester Blend 4T E/O 15W-50		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	3034 mg/kg estimated
<b>Inhalation</b>		
LC50	Rat	1545 mg/l, 4 hours estimated
<b>Oral</b>		
LD50	Rat	3040 mg/kg estimated

\* Estimates for product may be based on additional component data not shown.

Routes of exposure	Inhalation.
Symptoms	Irritation of eyes and mucous membranes. Skin irritation.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory sensitiser	Not a respiratory sensitizer.
Skin sensitiser	Not applicable.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

<b>Carcinogenicity</b>	Due to lack of data the classification is not possible.
<b>Toxic to reproduction</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Due to lack of data the classification is not possible.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.
<b>Relevant negative data</b>	Not available.

## 12. Ecological information

### Ecotoxicological data

Product	Species		Test results
Thumper Racing Syn Ester Blend 4T E/O 15W-50			
Aquatic			
Crustacea	EC50	Daphnia	29696.9688 mg/l, 48 hours estimated
Fish	LC50	Fish	497.6344 mg/l, 96 hours estimated

\* Estimates for product may be based on additional component data not shown.

<b>Ecotoxicity</b>	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulation</b>	No data available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>Mobility</b>	This product is miscible in water.
<b>Other hazardous effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------------------------------	--

<b>Special precautions</b>	Dispose in accordance with all applicable regulations.
----------------------------	--

## 14. Transport information

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

## 15. Regulatory information

### Applicable regulations

#### New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	May be used as a single component chemical under an appropriate group standard
--	--

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no) *
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Country(s) or region	Inventory name	On inventory (yes/no) *
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**References** Not available.

**Issued by**  
Not available.

**Prepared by**  
Not available.

**Disclaimer** Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

**Issue date** 31-July-2014

**Revision date** 10-May-2016

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.