SAFETY DATA SHEET

1. Product and company identification

Product name Bel-Ray High Performance Fork Oil 15W

Product code 99330 SDS number 6785

Bel-Ray Company, LLC

GPO Box 2650 Sydney, NSW 1171 PO Box 526 Farmingdale N.J. 07727

1 732-938-2421

CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 **United States of America**

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Recommended use Lubricant

2. Hazards identification

GHS classification

Physical hazards Not classified. Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements

Symbols None. Signal word None.

Hazard statement Toxic to aquatic life.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Avoid release to the environment.

If medical advice is needed, have product container or label at hand. Response

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	10 - < 20
Distillates (petroleum), Solvent-refined Heavy Paraffinic		
Other components below reportable levels		80 - < 90

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Material name: Bel-Ray High Performance Fork Oil 15W SDS NEW ZEALAND 99330 Version No.: 5.0 Revision date: 28-May-2016 Print date: 28-May-2016 1/6

Ingestion Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to

an unconscious person.

Potential delayed effects

Irritation of eyes and mucous membranes. Skin irritation.

Personal protection for first-aid responders

Not available.

Notes to physician Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Extinguishing media to avoid

Do not use water jet as an extinguisher, as this will spread the fire.

HAZCHEM Code Number

Specific hazards during fire

fighting

During fire, gases hazardous to health may be formed.

Special fire fighting

Not available.

procedures

Protection of fire-fighters Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing

must be worn in case of fire.

Hazards from combustion

products

May include oxides of Nitrogen. Carbon monoxide and carbon dioxide.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection,

see section 8.

Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid

discharge into drains, water courses or onto the ground. Inform appropriate managerial or

supervisory personnel of all environmental releases.

Spill cleanup methods This product is miscible in water.

> Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent

product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Precautions Avoid release to the environment.

Safe handling advice Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of

the SDS.

Prevention of fire and

explosion

No specific recommendations.

Local and general

ventilation

Provide adequate ventilation.

Storage

Suitable storage conditions

Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the

SDS).

Incompatible materials

For further information, please refer to section 10.

Store in original tightly closed container. Safe packaging materials

Material name: Bel-Ray High Performance Fork Oil 15W SDS NEW ZEALAND 99330 Version No.: 5.0 Revision date: 28-May-2016 Print date: 28-May-2016 2/6

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form	
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A) Components Value **Type**

Distillates (petroleum), TWA 5 mg/m3 solvent-refined heavy

paraffinic (CAS 64741-88-4)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

Components Value **Form Type** Distillates (petroleum), TWA 5 mg/m3 Mist. solvent-refined heavy

paraffinic (CAS 64741-88-4)

Biological limit values No biological exposure limits noted for the ingredient(s).

Engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other

engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Skin protection Wear suitable protective clothing.

Eye/face protection Wear safety glasses with side shields (or goggles).

Radioactive or thermal

hazards

Follow standard monitoring procedures.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance Oily. Liquid. Physical state Liquid. **Form** Liquid. Colour Green. Odour Petroleum **Odour threshold** Not available. pН Not available. Melting point/freezing point

Boiling point, initial boiling

Not available.

point, and boiling range

343 °C (649.4 °F) estimated

Flash point 205.0 °C (401.0 °F) Pensky-Martens Closed Cup

260 °C (500 °F) estimated **Auto-ignition temperature**

Flammability (solid, gas) Flammability limit - lower (%)

Not available. Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper

Not available.

(%)

0.13 hPa estimated Vapour pressure

Material name: Bel-Ray High Performance Fork Oil 15W 99330 Version No.: 5.0 Revision date: 28-May-2016 Print date: 28-May-2016 Density 871.00 kg/m3 Vapour density Not available. **Evaporation rate** Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Negligible Solubility (other) Oil

Partition coefficient (n-octanol/water)

Not available.

Decomposition temperature

Not available.

Viscosity

53.7 cSt ASTM D445

Viscosity temperature 40 °C (104 °F)

Percent volatile < 0.1 %

Other data

Flash point class Combustible IIIB

Specific gravity 0.9 VOC < 0.1 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Stability Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon

dioxide.

products

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eve contact Direct contact with eyes may cause temporary irritation.

Product Test results Species

Bel-Ray High Performance Fork Oil 15W

Acute Dermal

LD50 Rabbit 2031 mg/kg estimated

Oral

LD50 Rat 2049 mg/kg estimated

Routes of exposure Inhalation

Symptoms Irritation of eyes and mucous membranes. Skin irritation. Based on available data, the classification criteria are not met. Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Respiratory sensitiser Based on available data, the classification criteria are not met. Skin sensitiser Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Toxic to reproduction Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Material name: Bel-Ray High Performance Fork Oil 15W SDS NEW ZEALAND 99330 Version No.: 5.0 Revision date: 28-May-2016 Print date: 28-May-2016

^{*} Estimates for product may be based on additional component data not shown.

Specific target organ toxicity - repeated

exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not available.

Relevant negative data Not available.

12. Ecological information

Ecotoxicological data

Product		Species	Test results		
Bel-Ray High Performance Fork Oil 15W					
Aquatic					
Crustacea	EC50	Daphnia	9898.9902 mg/l, 48 hours estimated		
Fish	LC50	Fish	311.7527 mg/l, 96 hours estimated		

^{*} Estimates for product may be based on additional component data not shown.

Ecotoxicity Toxic to aquatic life.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulation No data available. **Bioconcentration factor (BCF)** Not available.

Mobility This product is miscible in water.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal

methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Special precautions Dispose in accordance with all applicable regulations.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)

May be used as a single component chemical under an appropriate group standard

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No

Material name: Bel-Ray High Performance Fork Oil 15W SDS NEW ZEALAND

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References Not available.

Issued by

Not available.

Prepared by

Not available.

DisclaimerBel-Ray Company, LLC cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at

the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

Issue date 25-September-2012

Revision date 28-May-2016

Revision information This document has undergone significant changes and should be reviewed in its entirety

Material name: Bel-Ray High Performance Fork Oil 15W SDS NEW ZEALAND