



SAFETY DATA SHEET

1. Product and company identification

Product name Bel-Ray High Performance Fork Oil 30W
Product code 99350
SDS number 7103

Bel-Ray Company, LLC
GPO Box 2650 Sydney, NSW 1171
PO Box 526 Farmingdale N.J. 07727
1 732-938-2421
CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC
P.O. Box 526
Farmingdale, NJ 07727
United States of America
+1 732 938 2421
CHEMTREC: 800-424-9300 (USA)
CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Recommended use Lubricant

2. Hazards identification

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Hazardous to the aquatic environment, acute Category 2 hazard
Hazardous to the aquatic environment, long-term hazard Category 2

Label elements

Symbols None.
Signal word None.
Hazard statement Toxic to aquatic life.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Avoid release to the environment.
Response If medical advice is needed, have product container or label at hand.
Storage Store away from incompatible materials.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	0 - < 100
Distillates (petroleum), Solvent-refined Heavy Paraffinic		
Other components below reportable levels		60 - < 70

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to an unconscious person.
Potential delayed effects	Irritation of eyes and mucous membranes. Skin irritation.
Personal protection for first-aid responders	Not available.
Notes to physician	Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
HAZCHEM Code Number	None.
Specific hazards during fire fighting	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Not available.
Protection of fire-fighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Hazards from combustion products	May include oxides of Nitrogen. Carbon monoxide and carbon dioxide.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
Spill cleanup methods	<p>This product is miscible in water.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>

7. Handling and storage

Handling	
Precautions	Avoid release to the environment.
Safe handling advice	Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.
Prevention of fire and explosion	No specific recommendations.
Local and general ventilation	Provide adequate ventilation.
Storage	
Suitable storage conditions	Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).
Incompatible materials	For further information, please refer to section 10.
Safe packaging materials	Store in original tightly closed container.

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Type	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Wear appropriate chemical resistant gloves.

Skin protection

Wear suitable protective clothing.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Radioactive or thermal hazards

Follow standard monitoring procedures.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Colour Not available.

Odour Not available.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range 343 °C (649.4 °F) estimated

Flash point 220.0 °C (428.0 °F) Pensky-Martens Closed Cup

Auto-ignition temperature 260 °C (500 °F) estimated

Flammability (solid, gas) Not available.

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapour pressure 0.13 hPa estimated

Density	881.00 kg/m3
Vapour density	Not available.
Evaporation rate	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Solubility (other)	Oil
Partition coefficient (n-octanol/water)	Not available.
Decomposition temperature	Not available.
Percent volatile	0.02 % estimated
Kinematic viscosity	108.8 cSt
Kinematic viscosity temp	40 °C (104 °F)
Other data	
Flash point class	Combustible IIIB
Specific gravity	0.9
VOC	< 0.1 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Product	Species	Test results
Bel-Ray High Performance Fork Oil 30W		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2031 mg/kg estimated
Oral		
LD50	Rat	2049 mg/kg estimated

* Estimates for product may be based on additional component data not shown.

Routes of exposure	Inhalation.
Symptoms	Irritation of eyes and mucous membranes. Skin irritation.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory sensitiser	Based on available data, the classification criteria are not met.
Skin sensitiser	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Toxic to reproduction	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not available.
Relevant negative data	Not available.

12. Ecological information

Ecotoxicological data

Product	Species		Test results
Bel-Ray High Performance Fork Oil 30W			
Aquatic			
Crustacea	EC50	Daphnia	9898.9902 mg/l, 48 hours estimated
Fish	LC50	Fish	113.2545 mg/l, 96 hours estimated

* Estimates for product may be based on additional component data not shown.

Ecotoxicity	Toxic to aquatic life.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulation	No data available.
Bioconcentration factor (BCF)	Not available.
Mobility	This product is miscible in water.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

14. Transport information

IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	May be used as a single component chemical under an appropriate group standard
--	--

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no) *
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References Not available.

Issued by
Not available.

Prepared by
Not available.

Disclaimer Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Issue date 10-February-2011

Revision date 13-May-2016

Revision information This document has undergone significant changes and should be reviewed in its entirety.