

SLA MAX INCREASED POWER

plug
and
play

ORIGINAL EQUIPMENT
OEM
MANUFACTURER



SLA MAX batteries are designed to offer maximal performance to big engine bikes equipped with lots of electronic equipments (GPS, alarm, audio, flashlight...). Ready to use, the SLA MAX batteries are factory activated, maintenance free and completely spillproof. AGM technology combined with new highly sophisticated construction design provide increased power, extended life and maximum reliability.


FEATURES

- Ready to use**
Just plug & play
- Absolutely maintenance free**
- Multi-positioning mounting**
Up to 90°
- No acid handling**
Very safe
- Spillproof design**
Totally sealed
- Increased power & extended cycle life**
- Superior capacity**
- Extreme vibration resistance**
- HD spacers included***
- Safe & environmentally friendly**
- Low discharge rate**



* HD spacers are only included with Harley Davidson battery models

MOUNTING ANGLES



COMPATIBLE CHARGERS

- BS 10** Battery size up to 20Ah
- BS 15** Battery size up to 30Ah
- BS 30** Battery size up to 60Ah
- BS 60** Battery size up to 120Ah
- BK 20** Battery size up to 40Ah

FOR HARLEY DAVIDSON




SLA MAX HD models are equipped with specific terminals to fit the mounting without using spacer rings and also with reinforced casing for a maximum vibration resistance. All these features fulfill heavy duty engines requirements such as Harley Davidson vehicles.

BS BATTERY TYPE - 12V	CAPACITY Ah (10Hr)	CAPACITY Ah (20Hr)	CCA (EN) A (-18°C)	DIMENSIONS (±2mm)			ASSEMBLY LAYOUT	TERMINAL
				L	W	H		
BTX14HL	14	14.7	220	150	87	145		
BTX20HL	20	21.1	310	176	87	154		
BIX30HL	30	31.6	430	166	130	175		




Terminal specifically designed to facilitate the mounting on Harley Davidson motorcycles



BTX20HL and BIX30HL Harley Davidson specific terminals



BTX14HL Harley Davidson specific terminals



Battery case with a grid framework for a maximum vibration resistance

FOR BMW

Developed to fit BMW latest bikes, these SLA Max models are the most advanced batteries on the market with an increased capacity and performance.

BS BATTERY TYPE - 12V	CAPACITY Ah (10Hr)	CAPACITY Ah (20Hr)	CCA (EN) A (-18°C)	DIMENSIONS (±2mm)			ASSEMBLY LAYOUT	TERMINAL
				L	W	H		
BTX14H*	14	14.7	220	150	87	145		
BTX16H*	14	16	220	150	87	161		
51913	21	22	275	182	77	168		

FOR POLARIS & INDIAN

Developed to fit Indian latest bikes, this SLA Max model provides increased power, extended life and maximum reliability.

BS BATTERY TYPE - 12V	CAPACITY Ah (10Hr)	CAPACITY Ah (20Hr)	CCA (EN) A (-18°C)	DIMENSIONS (±2mm)			ASSEMBLY LAYOUT	TERMINAL
				L	W	H		
BTX14AH*	13	13.7	240	134	89	164		

* Models manufactured and designed according to OEM specifications



PLUG AND PLAY SOLUTION



2021 MotoGP
WORLD CHAMPION



**+80 AVAILABLE TYPES OF
"READY TO START" BATTERIES**

COMPARATIVE FEATURES



	LITHIUM LiFePO4	SLA MAX FACTORY ACTIVATED	SLA FACTORY ACTIVATED	MF BATTERY	DRY BATTERY
READY TO USE	✓	✓	✓	—	—
NO ACID HANDLING	✓	✓	✓	—	—
MAINTENANCE FREE	✓	✓	✓	✓ ⁽¹⁾	—
NON-SPILLABLE	✓	✓	✓	—	—
FACTORY ACTIVATED	✓	✓	✓	—	—
MULTI-POSITIONING FITMENT	✓	✓	✓	—	—
EASY TO CARRY	✓	✓	✓	—	—
EASY TO SHIP	✓	✓	✓	—	—
NO SELF DISCHARGE DURING STORAGE	—	—	—	✓	✓
COMPLIANT WITH EU REGULATION 2019/1148 (FOR THE SALE OF ACID FOR BATTERIES)	✓	✓	✓	—	—

TRANSPORTATION CHART

ROAD FREIGHT	✓	✓	✓	✓ ⁽²⁾	✓ ⁽²⁾
AIR FREIGHT	✓ ⁽²⁾	✓	✓	—	—
SEA FREIGHT	✓	✓	✓	✓ ⁽²⁾	✓ ⁽²⁾
	SUITABLE FOR E-COMMERCE			UNDER CERTAIN CONDITION	

(1) Once activated

(2) According to ADR, IMDG & IATA regulations